

**bueho.pdf.dop.subline**

bueho.pdf.dop.nr                      bueho.pdf.dop.code

**LE-H55095-04    BARUPLAN KV EW 45 KSK CLASSIC**

**bueho.pdf.dop.usage**

- Root resistant Base layer of bituminous GREEN ROOF-systems

**bueho.pdf.dop.company**

BÜSSCHER & HOFFMANN GmbH

A-4470 (AT) Fabrikstraße 2

Tel.: +43 (7223) 823 23-0

Web: www.bueho.com

E-Mail: office@bueho.at

**bueho.pdf.dop.assessment**

system2+

EN 13707:2004 + A2:2009

**bueho.pdf.dop.harmonized\_norm**

EN 13707:2004 + A2:2009

**bueho.pdf.dop.notified\_body**

1139 WIEN-ZERT Rinnböckstraße 15 , A-1110 Wien

**bueho.pdf.dop.certificate**

1139-CPR-0027/06

**bueho.pdf.dop.declared\_performance**

bueho.pdf.dop.characteristics	bueho.pdf.dop.performance	bueho.pdf.dop.spec
Watertightness	400 kPa	EN 13707:2004 + A2:2009
External fire exposure	NPD	EN 13707:2004 + A2:2009
Reaction to fire test	E	EN 13707:2004 + A2:2009
Tensile force long./trans.	1000/800 (±200/±100) N/50mm	EN 13707:2004 + A2:2009
Elongation at single-end breaking force	50/50 (±10/±10) %	EN 13707:2004 + A2:2009
Resistance to impact	NPD	EN 13707:2004 + A2:2009
Resistance to static loading	NPD	EN 13707:2004 + A2:2009
Resistance to tearing (nail shank) long./trans.	200/200 (±50/±50) N	EN 13707:2004 + A2:2009
Flexibility at low temperatures	-20 °C	EN 13707:2004 + A2:2009
Root resistance	wurzelfest	EN 13707:2004 + A2:2009
Hazardous substances	Keine	EN 13707:2004 + A2:2009

**bueho.pdf.dop.footer\_text**

**bueho.pdf.dop.before\_signing**



**Bmstr. Dipl. Ing. Karl Landl**

**bueho.pdf.dop.general\_manager**

bueho.pdf.dop.a\_text

bueho.pdf.dop.b\_text